

---

# Contents

<i>Acknowledgments</i> . . . . .	xxiii
<i>Foreword</i> . . . . .	xxv

---

## Part I    **Getting Started**

---

<b>Chapter 1    Introduction to IBM WAS Programming</b> . . . . .	<b>3</b>
The Simplest WAS View . . . . .	4
IBM's Offering for the WebSphere Application Server . . . . .	5
WebSphere Application Server v4 . . . . .	5
WebSphere Application Server v5 . . . . .	6
What's In the Five Parts of the Book . . . . .	6
Part I . . . . .	7
Part II . . . . .	7
Part III . . . . .	8
Part IV . . . . .	9
Part V . . . . .	10
Appendixes . . . . .	10
Special Consideration of WAS v5 . . . . .	11
Utility Scripts . . . . .	12
Stress Testing . . . . .	12
Printing Unicode, Localization, and Internationalization . . . . .	13
UNIX Commands, Shell, Perl, and Lynx . . . . .	13
WAS Programming on the UNIX Platform . . . . .	14
Using Lynx . . . . .	14
Perl Scripts in Enterprise WAS Programming . . . . .	15
Applications Used in This Book . . . . .	16
<b>Chapter 2    Installing the WAS Repository</b> . . . . .	<b>19</b>
Rationales to Install a Database . . . . .	20

A Database Used as an Administrative Repository . . . . .	20
A Database Used as a Data Source . . . . .	21
WAS Compatibility with UDB . . . . .	21
Binary Distribution and Basic Installation of UDB . . . . .	22
Installing the Components of the Universal Database (UDB) . . . . .	24
UDB Installation on AIX . . . . .	29
Classifying the Universal Database JDBC Driver Types . . . . .	33
JDBC Type 2: The app Driver . . . . .	33
JDBC Type 3: The net Driver . . . . .	34
Wrapping Up . . . . .	34
<b>Chapter 3     Setting Development Environment Prerequisites . . . . .</b>	<b>37</b>
The HTTP Server . . . . .	38
Installing the HTTP Server . . . . .	38
Starting/Stopping the HTTP Server . . . . .	42
HTTP Server Log Files . . . . .	42
The Java Machine . . . . .	44
Installing the Java Machine . . . . .	45
Setting Up the Java Computing System Environment . . . . .	46
The Windows NT User Environment . . . . .	62
A Refresher on Windows NT's Batch Commands . . . . .	62
Setting the User Environment on Windows NT . . . . .	63
The Shell Interpreter on Windows NT . . . . .	64
Working with the Java Machine . . . . .	65
Hello World . . . . .	66
Working with Java Packages: A Simple View . . . . .	66
HelloURL Example . . . . .	69
The CGI Version of Hello World: HelloWorld.cgi . . . . .	72
Testing Remote Database Connection with the JDBC Driver . . . . .	73
Wrapping Up . . . . .	75
<b>Chapter 4     Installing WAS on Linux, Windows NT, and AIX . . . . .</b>	<b>77</b>
Conventions Used in This Book . . . . .	78
Home Directory Conventions . . . . .	78
Conventions of WAS Processes . . . . .	80
Conventions of the WebSphere Domain . . . . .	80
Products Dependency . . . . .	80

Requirements . . . . .	81
Hardware Requirements . . . . .	81
Operating System–Level Requirements . . . . .	82
GUI Interface Dependency . . . . .	82
Database Requirements . . . . .	84
Preinstallation Verification . . . . .	85
Successful Database Connectivity . . . . .	86
Availability of an HTTP Web Server to be Plugged Into the WAS Installation . . . . .	86
Java Machine Availability . . . . .	87
Installing WAS with a UDB Configuration Repository . . . . .	88
Suppressing the <code>prereq_checker</code> . . . . .	89
Installing WAS v4 Advanced Edition Single Server . . . . .	90
WAS Startup and First-Time Configuration . . . . .	92
Configuring the Common Resources . . . . .	93
Setting the JDBC Driver . . . . .	94
Virtual Hosting . . . . .	96
Virtual Hosts Are Not Node Specific . . . . .	96
Reasons for Setting the Virtual Hosts . . . . .	97
Virtual Hosts Name Resolvability . . . . .	102
Serving the Test Servlet: <code>snoop</code> . . . . .	102
File Locations . . . . .	104
Setting the WAS Development Environment . . . . .	105
Setting the Commands . . . . .	105
Setting the Desktop . . . . .	108
An Undocumented Shortcut to Test WAS Installation . . . . .	109
Uninstalling the Product . . . . .	111
Replicating an Installation on Several Machines . . . . .	112
Wrapping Up . . . . .	112
<b>Chapter 5 Defining a WebSphere Domain . . . . .</b>	<b>113</b>
Understanding the WebSphere Region . . . . .	114
Understanding the WebSphere Domain . . . . .	116
Background About the WebSphere Domain . . . . .	116
Benefits of a WebSphere Domain . . . . .	118
Defining the Name for the WebSphere Domain . . . . .	121
Administering a WebSphere Domain . . . . .	123

The Structure of a WebSphere Domain . . . . .	126
Ports Used by WAS . . . . .	130
Comparing WAS v3.5 and v4 . . . . .	131
Suppressing the Servlet Redirector . . . . .	131
Suppressing Augmented datasources.xml Configuration . . . . .	132
JSP Levels 1.0 and 1.1 Are the JSPs Supported in WAS v4 . . . . .	132
EJB Level 1.1 Is the Only Level Supported in v4 . . . . .	132
Models and Clones Are Only for Application Servers in WAS v4 . . . . .	133
Wrapping Up . . . . .	134
<b>Chapter 6 Testing Your Installation: WAS Tools and Examples . . . . .</b>	<b>135</b>
WAS Systemwide Tools . . . . .	136
The Application Server Start/Stop Commands . . . . .	136
The WebSphere Administrative Console . . . . .	137
The WebSphere Control Program: WSCP . . . . .	137
DrAdmin: Generating Thread Dumps . . . . .	138
Enterprise Application Archive (EAR) . . . . .	139
WAS Testing Tools . . . . .	144
Sectioning an EAR Sample File: sampleApp.ear . . . . .	146
The Petstore Sample . . . . .	150
Installing the Petstore Sample . . . . .	150
Making the Changes Manually . . . . .	158
Miscellaneous WAS Tools . . . . .	160
The Log Analyzer . . . . .	160
The Resource Analyzer . . . . .	161
Wrapping Up . . . . .	164
<b>Part II The Essential Administrative Guide for WAS Developers</b>	
<b>Chapter 7 WAS Report Extrapolation with Perl/WSCP . . . . .</b>	<b>167</b>
Introduction to WSCP . . . . .	168
The wscp Command . . . . .	169
Starting WSCP . . . . .	169
The WSCP Property File . . . . .	171
A Conversation with WSCP . . . . .	172
WSCP and Tcl . . . . .	173
Sole Installation of WSCP on a Workstation . . . . .	175

The WscpCommand Interface . . . . .	176
Practical Reports Extraction with Perl/WSCP . . . . .	177
Running WSCP from Perl . . . . .	177
Parsing the WSCP Output . . . . .	178
WSCP Message Codes . . . . .	185
Wrapping Up . . . . .	186
<b>Chapter 8 A Quick and Essential Guide to Administering WAS . . . . .</b>	<b>187</b>
Starting, Stopping, and Testing WAS . . . . .	188
Starting WAS . . . . .	188
Stopping WAS . . . . .	189
Stopping/Starting/Testing the HTTP Server . . . . .	190
Testing WAS . . . . .	190
Checking for WAS Version and Release Level/Date . . . . .	194
Keeping Track of the Version of Your WAS Java Machine . . . . .	196
Log Files and Startup Messages . . . . .	196
If WAS Fails to Start . . . . .	196
Formatting of the Log File . . . . .	197
The activity.log File . . . . .	199
Be Cautious When Editing Properties Files . . . . .	200
Working with WAS Processes . . . . .	203
Demystifying WAS Processes . . . . .	203
Acting on a Group of Processes . . . . .	205
The /etc/services Ports . . . . .	205
The Default Ports Used by WAS . . . . .	206
Debugging Default Ports . . . . .	207
Monitoring the Ports . . . . .	207
The Administrative Configuration Files . . . . .	210
The WAS Startup Java Machine . . . . .	211
Java Machine Parametric Tune-Up . . . . .	212
Disabling the Just-In-Time Compiler . . . . .	213
Select a Heap Size That Fits Within the Physical Memory Constraint . . . . .	214
Managing the WAS Repository . . . . .	214
Common Administrative Practices . . . . .	216
A Quick WAS Diagnostic: Invoking showCfg . . . . .	216
Checking on the WAS Database Repository . . . . .	217

Monitoring the Application Archives . . . . .	217
Archiving the WAS Directory . . . . .	218
Archiving the WAS directory on Windows NT . . . . .	219
Wrapping Up . . . . .	220
<b>Part III Programming for WAS</b>	
<b>Chapter 9 Preparing the Database . . . . .</b>	<b>223</b>
Introduction . . . . .	224
UDB Authority on UNIX . . . . .	224
Creating the Database . . . . .	225
Populating the Database . . . . .	228
Java and JDBC . . . . .	228
Using the DBD::DB2 Module . . . . .	233
Wrapping Up . . . . .	240
<b>Chapter 10 Accessing the Database in Java: DataAccessComponent . . . . .</b>	<b>243</b>
Defining the DataAccessComponent . . . . .	244
Examining Characteristics of the DataAccessComponent . . . . .	249
Text Substitution in the DataAccessComponent . . . . .	250
Data Retrieval Using the DataSet . . . . .	251
Retrieving Data for the EmpAcct and CliAcct . . . . .	252
Understanding the Build Process . . . . .	258
Creating the Java Package Tree . . . . .	259
Mediocre Compilation of the Java Package . . . . .	259
Compiling .java Programs Collectively: The jall Script . . . . .	260
Wrapping Up . . . . .	260
<b>Chapter 11 Developing a J2EE Web Application in WAS . . . . .</b>	<b>261</b>
Loading a J2EE Web Application: A Simplified View . . . . .	262
Creating the First J2EE Tree . . . . .	262
Building the Web Application . . . . .	265
Creating a More Complete J2EE Tree . . . . .	274
Adding a New Build to an Already Loaded Web Application . . . . .	275
Understanding the j2tree Script . . . . .	277
Wrapping Up . . . . .	281

<b>Chapter 12</b>	<b>HTTP Servlet Programming</b>	<b>283</b>
	From CGI Programming to Java Servlets . . . . .	284
	Using the DumpEnv Servlet to Dump CGI Environment Variables . . . . .	286
	Using the DumpEnv Servlet: The service() Method . . . . .	288
	Developer's Tactics While Programming Servlets . . . . .	288
	Understanding the HTTPD Log Record . . . . .	289
	WAS Redirection to Standard Input/Output . . . . .	289
	Using Lynx to Check on HTTP Requests . . . . .	290
	Recompiling Servlets Using the svlbuild Script . . . . .	290
	Turning HTML Content into a Java String . . . . .	291
	Understanding the Need for Servlet Programming . . . . .	292
	Using a Servlet to Print HTML Content . . . . .	292
	Using a Servlet to Access the UDB . . . . .	293
	Using a Servlet to Print Contents of a File . . . . .	299
	Using Servlets for the Teller/Client Example . . . . .	305
	The Teller Login Servlet: LoginScreen . . . . .	305
	Teller Authentication: TellerLogged . . . . .	308
	Teller to Credit/Debit a Client Account: CreditDebit . . . . .	311
	Batch Processing with Lynx . . . . .	317
	Wrapping Up . . . . .	318
<b>Chapter 13</b>	<b>Java Server Pages (JSP)</b>	<b>319</b>
	JSP Programming: A First Example . . . . .	321
	A Second Example: Using the Request Dispatcher . . . . .	324
	Servlet Communication . . . . .	328
	Intraservlet Communication . . . . .	329
	Interservlet Communication . . . . .	329
	Custom Tags: JSP Tag Libraries . . . . .	329
	Automating the Process of JSP Tags Library Programming . . . . .	332
	Registering a Tags Library in the Web Application Descriptor . . . . .	335
	Summarizing the Steps to Program with a JSP Tags Library . . . . .	335
	Customizing a Tags Library to Print Typical Messages . . . . .	336
	Wrapping Up . . . . .	338
<b>Chapter 14</b>	<b>The J2EE Web Application in WAS: A Detailed View</b>	<b>339</b>
	IBM-Specific Deployment Descriptors: A Detailed View . . . . .	340
	IBM Extensions . . . . .	340

Getting the IBM Extensions . . . . .	343
Using the EARExpander . . . . .	350
Summary of IBM Extensions Attributes . . . . .	350
WAS Parsing for the web.xml . . . . .	351
Wrapping Up . . . . .	355
<b>Chapter 15 Classes in WAS: Loading Order versus Visibility Order . . . . .</b>	<b>357</b>
Classpaths and WAS' Classloaders . . . . .	358
The Classpaths Tree Hierarchy . . . . .	359
The WAS Startup Classpath . . . . .	362
Adding Jar Archives to the WAS Startup Classloader . . . . .	364
Getting the Application Classpath from within a Servlet . . . . .	364
Initializing and Reloading a Servlet . . . . .	365
Module Visibility and Class Reloading . . . . .	367
Module Visibility . . . . .	367
Module Visibility and Reloading Simulation: Hey—Yo . . . . .	370
Hot Deployment and Dynamic Reloading . . . . .	378
Wrapping Up . . . . .	382
<b>Chapter 16 Session Identification and the HTTP Protocol . . . . .</b>	<b>383</b>
Identifying User Logins . . . . .	385
Getting the mime_header . . . . .	385
Cookies . . . . .	386
Cookies with CGI . . . . .	387
Using Cookies Through HTTP Java Servlets . . . . .	391
Limitations and Naming Conventions of Cookies . . . . .	399
Session Management . . . . .	399
Identifying a Session with the JSESSIONID Cookie . . . . .	400
WAS Session Identifier Visibility to CGI Programs . . . . .	408
SessionFairy . . . . .	409
Gathering Information from the Session Identifier . . . . .	410
Generating the SessionFairy.jsp . . . . .	412
URL Rewriting and Hidden Parameters . . . . .	416
URL Rewriting . . . . .	417
Form Hidden Fields . . . . .	419
Wrapping Up . . . . .	421

<b>Chapter 17</b>	<b>Session Scope and IBM Session Persistence . . . . .</b>	<b>423</b>
	Examining Session Scope and Affinity . . . . .	424
	Understanding Session Scope . . . . .	424
	Understanding Session Affinity . . . . .	426
	Examining Session Persistence: Setup, Configuration, and Testing . . . . .	427
	Setting Up and Configuring a Session . . . . .	427
	Using WAS Components in Persisting a Session . . . . .	433
	Testing Session Persistence . . . . .	433
	Programming Considerations . . . . .	436
	Serializing Persistent HTTP Session Objects . . . . .	437
	Invalidate the Session on Logoff . . . . .	437
	Committing Changes in a Persistent Session . . . . .	438
	Understanding Session Impact When Reloading a Servlet or a.jsp . . . . .	439
	Writing to the Persistent Database: sync() . . . . .	439
	Using a Teller Login Scenario to Test Session Persistence . . . . .	439
	Examining a Teller Login Scenario Using the Browser . . . . .	440
	Examining a Teller Login Scenario Using Lynx . . . . .	444
	Using Multiple Sessions to One Web Container . . . . .	447
	Tuning the Session Manager . . . . .	448
	Considering Page Sizes Larger Than 4K . . . . .	450
	Understanding the Reasoning Behind Persistence . . . . .	451
	Wrapping Up . . . . .	452
<b>Chapter 18</b>	<b>Enterprise JavaBeans Programming . . . . .</b>	<b>455</b>
	Enterprise JavaBeans for the WASDG Application . . . . .	457
	Turning the Programs into Session Beans . . . . .	466
	The Data Access Component as a Session Bean: DataAccessComponentBean . . . . .	470
	Extending the BeanBase to Communicate the Returned Objects . . . . .	473
	Optimizing the EJB Container with a Larger Bean: MapRequest.setOperation() . . . . .	473
	Regulating the Beans Nomination . . . . .	479
	Deploying the EJB Module WasdgBeans.jar . . . . .	481
	Generating the EJB Module: WasdgBeans.jar . . . . .	481
	Verifying the EJB Module . . . . .	482
	Generating and Registering the Enterprise Application: WasdgBeans.ear . . . . .	483
	Using ejbdeploy.sh to Generate the Code for Deployment . . . . .	488

<b>Testing the EJB Module WasdgBeans.jar's Beans . . . . .</b>	<b>489</b>
<b>Installing the WASDG Application . . . . .</b>	<b>490</b>
<b>Using Explicit Copy to Merge the EJBs to the WASDG Development Tree . . . . .</b>	<b>490</b>
<b>Using a Symbolic Link to Link the EJBs to the WASDG Development Tree . . . . .</b>	<b>492</b>
<b>Modifying and Verifying the EJB Module Code . . . . .</b>	<b>493</b>
<b>Test Scenario . . . . .</b>	<b>494</b>
<b>Assembling the EJB Module WasdgBeans.jar: Using the AAT . . . . .</b>	<b>496</b>
<b>Generating the WasdgBeans.jar Using the AAT . . . . .</b>	<b>497</b>
<b>Modifying the Code of an Assembled EJB Module . . . . .</b>	<b>497</b>
<b>Wrapping Up . . . . .</b>	<b>498</b>
<b>Chapter 19     Apache SOAP Programming in WAS . . . . .</b>	<b>499</b>
<b>Deploying the SOAP Application: wasdgsoap.ear . . . . .</b>	<b>500</b>
<b>The soap.war Web Application . . . . .</b>	<b>502</b>
<b>Testing the wasdgsoap.ear and Demystifying the SOAP Message . . . . .</b>	<b>504</b>
<b>Uninstalling and Installing the wasdgsoap.ear . . . . .</b>	<b>505</b>
<b>Apache SOAP Deployment Descriptors Used by WAS . . . . .</b>	<b>506</b>
<b>Generating an Apache SOAP Deployment Descriptor Using gensoap-ejb . . . . .</b>	<b>508</b>
<b>Passing Parameters . . . . .</b>	<b>511</b>
<b>Qualifying Names on the SOAP Client: QName . . . . .</b>	<b>512</b>
<b>Specifying Type Mappings in a SOAP Deployment Descriptor . . . . .</b>	<b>513</b>
<b>Programming the DataSetSerializer . . . . .</b>	<b>515</b>
<b>Matching a Client's QName() to Its Server Mappings . . . . .</b>	<b>518</b>
<b>Accessing Beans Using a SOAP Client . . . . .</b>	<b>520</b>
<b>Setting the SOAP Client Environment . . . . .</b>	<b>520</b>
<b>Testing with SOAP Clients . . . . .</b>	<b>521</b>
<b>Debugging SOAP Client in a Nutshell . . . . .</b>	<b>521</b>
<b>Wrapping Up . . . . .</b>	<b>522</b>
<b>Chapter 20     Fundamental Security Programming: Applying JAAS . . . . .</b>	<b>523</b>
<b>Installing the Java Authentication and Authorization Service (JAAS) . . . . .</b>	<b>525</b>
<b>Programming JAAS . . . . .</b>	<b>526</b>
<b>A JAAS Example: FetchFile and PrivilegedFetchFile . . . . .</b>	<b>527</b>
<b>Another JAAS Example: ZenFile Servlet and PrivilegedFetchFile . . . . .</b>	<b>536</b>
<b>Securing the Teller Login/Logout . . . . .</b>	<b>543</b>
<b>JAAS-Enabling the Logout of the WASDG Application . . . . .</b>	<b>544</b>
<b>Segregation of the Developer's Roles . . . . .</b>	<b>544</b>

The Future of JAAS . . . . .	553
Cipher . . . . .	554
Wrapping Up . . . . .	561
<b>Chapter 21 Enterprise Application Development . . . . .</b>	<b>563</b>
Reconsidering the Build Process Using the make Utility . . . . .	565
Compiling Code Using the make Utility . . . . .	566
Automating the Process . . . . .	568
An Initial Makefile for the BASE_DEV . . . . .	571
Building and Deploying a Two-in-One Script: AppBuild . . . . .	576
Concurrent Development: Source Code Control, Compiling, and Testing . . . . .	578
A User-Specific Development Tree: Holding Tree . . . . .	579
Installing Multiple Instances of WebSphere Domains on the Same Server . . . . .	581
Considering the Environment for Concurrent Programmers . . . . .	586
Documentation . . . . .	589
Wrapping Up . . . . .	590
<b>Part IV Stress-Testing, Tracing, and Debugging</b>	<hr/>
<b>Chapter 22 Stress-Testing . . . . .</b>	<b>593</b>
Timing (Basic Timing) and Placing HTTP Requests . . . . .	595
Programming a Stress-Tester . . . . .	597
Special Considerations for the HTTP Methods . . . . .	597
Forking Concurrent Processes for Concurrent Users . . . . .	598
Iterating to Place Multiple Requests Within Each Process . . . . .	599
The ZappUrl Script . . . . .	599
Stress-Testing the WASDG Application with SharkUrl . . . . .	606
Files Preprocessed by the SharkUrl Script . . . . .	606
Running SharkUrl . . . . .	608
Generating and Interpreting a Report . . . . .	610
Sniffing the Network to Measure WAS Performance . . . . .	614
A Final Note about the Preprocessed Includes . . . . .	616
Wrapping Up . . . . .	617
<b>Chapter 23 Writing an Exception Handler, Logging, and Debugging . . . . .</b>	<b>619</b>
Logging, Tracing, and Debugging with Exception Handling . . . . .	620
Logging Information: Log.log() . . . . .	623

Bundling Information with the BundleManager . . . . .	627
Considering the <code>log.properties</code> File . . . . .	631
Considering the Exception-Handling Properties Files . . . . .	631
Exception Handling . . . . .	633
Testing the Programs . . . . .	639
IBM Object Level Trace (OLT) and Object Level Debugger (OLD) . . . . .	641
Wrapping Up . . . . .	641
<hr/>	
<b>Part V Monitoring, Tuning, and Risk Management</b>	
<b>Chapter 24 WAS Monitoring with WASLED™ and WASMON™ . . . . .</b>	<b>645</b>
Monitoring Objective . . . . .	646
Component Message Numbers as LED . . . . .	646
Installing and Starting Up WASMON™ . . . . .	649
The First Pane: The User Input Pane . . . . .	651
The Second Pane: The WASLED Activities Pane . . . . .	652
The Third Pane: The WASMON Activities Pane . . . . .	652
Activating and Connecting to the WASMON Server . . . . .	653
Monitoring WAS Containment . . . . .	654
Filtering WAS Events and Firing Action with WASMON . . . . .	654
E-Mailing an Alert . . . . .	659
E-Mail: The Subject Dialog Box and Send E-mailButton . . . . .	659
Filtering Events and E-Mailing Users . . . . .	660
Triggering Scripts . . . . .	660
Conditional Monitoring with the Logical Alert Directives . . . . .	662
Wrapping Up . . . . .	664
<b>Chapter 25 Monitoring and Tuning the System Resources . . . . .</b>	<b>665</b>
Preparing Your Systems for the Performance Commands . . . . .	666
Performance Commands on AIX and Linux . . . . .	666
Installing the System Agent on AIX . . . . .	667
Requirement for Windows NT . . . . .	668
Essential Monitoring Commands: <code>ps</code> , <code>sar</code> , and <code>vmstat</code> . . . . .	668
Monitoring Processes with the <code>ps</code> Command . . . . .	668
Monitoring Memory and CPU with <code>sar</code> and <code>vmstat</code> . . . . .	671
Considering Windows NT Memory Usage . . . . .	673
Considering Windows NT Network Usage . . . . .	675

Threads and Processes . . . . .	678
Threads Statistics on AIX . . . . .	678
Monitoring the Threads with <i>MrThread</i> (Mister Thread) . . . . .	680
Monitoring Linux Processes with <i>MrTop</i> (Mister Top) . . . . .	684
Considering the Swap Paging Space . . . . .	686
Considering EJB Caching . . . . .	687
Considering Performance for the SESSION Database . . . . .	688
Wrapping Up . . . . .	692
<b>Chapter 26 Risk Management with WASMON . . . . .</b>	<b>693</b>
Risk Management with WASMON: A Simple View . . . . .	695
Putting WASMON in Supervisor Mode . . . . .	695
Putting the Supervisor in an Active State . . . . .	698
Entering in Parole with the Supervisor . . . . .	699
Checking on the WAS Web Container . . . . .	705
WASMON's Four Types of Internal Variables . . . . .	706
Static Variables: s-vars . . . . .	707
Boolean Variables: b-vars . . . . .	707
Differential Variables: d-vars . . . . .	707
Glob Variables: g-vars . . . . .	710
Preparing the Internal Variables . . . . .	710
WASMON Delegation with the Helper Program: wasmonhelper . . . . .	711
Using the Internal Variables in wasmon.conf . . . . .	713
Using b-vars and d-vars in Logical Expressions . . . . .	714
Considering the WASMON Helper Program: wasmonhelper . . . . .	715
Understanding Differential Variables: d-var . . . . .	716
Generic Monitoring with WASMON . . . . .	717
Monitoring Web Applications with WASLED/WASMON . . . . .	717
Special Considerations When Running WASMON . . . . .	719
Wrapping Up . . . . .	720
<b>Part VI Appendixes</b>	
<b>Appendix A Retrieving Information and Code Distribution . . . . .</b>	<b>725</b>
Essential Code Distribution Web Site . . . . .	726
Installing the Distribution Code . . . . .	727
Installing the Gramercy Toolkit . . . . .	728

Setting the GRAMERCY_DIR Environment Variable . . . . .	728
Getting the Version Number of the Tools . . . . .	729
Installing WASLED/WASMON . . . . .	729
Using This Book in Academic Disciplines . . . . .	729
Generalizing J2EE Application Deployment Under WAS AEs . . . . .	730
<b>Appendix B Backing Up and Restoring . . . . .</b>	<b>731</b>
Backing Up Your WAS Configuration Data . . . . .	732
Backing Up and Restoring WAS AEs . . . . .	732
Backing Up WAS AE . . . . .	733
Restoring WAS AE . . . . .	733
Migration Considerations . . . . .	734
<b>Appendix C Demystifying Java 2's Internationalization with MrUnicode . . . . .</b>	<b>737</b>
Using MrUnicode for Internationalization and Unicode . . . . .	738
Printing Information about Converters and Character Sets . . . . .	741
Sun Microsystems vs. IBM Nomenclature in Java 2 Encoding . . . . .	744
Printing Language Code with MrUnicode . . . . .	745
<b>Appendix D Gramercy Toolkit Scripts and the WASDG Environment . . . . .</b>	<b>747</b>
Checking the WASDG Environment . . . . .	748
Gramercy Toolkit Scripts . . . . .	750
BwiSort . . . . .	750
cpfl . . . . .	751
modjar . . . . .	751
<b>Appendix E WASLED/WASMON Quick Reference . . . . .</b>	<b>753</b>
Starting and Configuring WASMON . . . . .	754
Using Logical Expressions . . . . .	756
WASMON Internal Variables . . . . .	758
A Quick Monitoring Scenario . . . . .	761
<b>Appendix F Support for WAS v5 . . . . .</b>	<b>763</b>
Determining WAS' Support Through the DTDs . . . . .	764
WAS v5 Supports J2EE API 2.3 . . . . .	766
Reconsidering Scripts with WAS v5 . . . . .	766
<b>Index . . . . .</b>	<b>769</b>